Sunon

European R&D Center
Add: Brunnenstrasse 156, 10115 Berlin, Germany

Sunon Mexico Manufacturing Base & Experience Center
Add: Calle Palomas No. 201, Parque Industrial Hofusan, Salinas Victoria,
Nuevo León CP 65500

USA Headquarters & Experience Center
Add: 311 N Green Street, Suite 900, Chicago IL 60607

Singapore Branch & Experience Center
Add: #01-02 R Building, 18 Robinson Road, Singapore 048547

India Branch & Experience Center
Add: Floor I & II, 643, Rd Number 36, Aditya Enclave, Venkatagiri,
Jubilee Hills, Hyderabad, Telangana 500033, India

Headquarters & Experience Center
- Sunon Technological Innovation Park
Add: No.1666 Zhixing Road, Xiaoshan District, Hangzhou, Zhejiang, China

@sunonfurniture www.sunonglobal.com info@isunon.com

FSC
www.fsc.org
FSC® C148559

Sunon



LIDO SERIES



LIDO SERIES
FLEX AND FREE

In LIDO, simplicity becomes a source of inspiration. Its clean geometry extends with ease, shaping spaces that can shift, connect, and reconfigure. Within this sense of balance and order, work flows freely and new possibilities take shape.

EXECUTIVE SPACE

Smart π Shape, Confident Workdays

Clean lines shape the π-style base, blending practicality with elegance. Warm wood tones meet crisp white storage, creating a workspace that is orderly, polished, and ready to inspire.

The Desktop Designed for More

Extending beyond daily tasks, it serves as a spot for quick discussions, sign-offs, and spontaneous exchanges, keeping collaboration within easy reach.

Three-Way Cable Access, Neat by Design

Orange Accents, Inspired Spaces

A youthful workspace comes alive with vibrant orange A-shaped bases, while uniquely shaped desktops define the layout, balancing energy and order.

Smart Storage Upgrade

Composed in Form and Function

The box-shaped base defines a spacious and well-ordered workspace, where clean wood grains bring a sense of warmth and calm. A side cabinet extends the surface for added storage, keeping everything organized and within easy reach – a refined balance of clarity and function.

Order in Place

Classic door-shaped bases keep the design clean and functional. Square desktops in muted grey create a balanced, efficient workspace – ready for any challenge.



With a calm, minimalist form, each desk claims its space, bringing clarity and order to the room.

Designed to Be Simple

In Meteor Grey tone, the desk reveals a pure, uncluttered silhouette that opens up the workspace. Its cool, composed tone complements a focused mindset – a quiet reflection of clarity and decisive leadership.

Scale Up

A well-organized space is the foundation of efficient work. The large side cabinet is tailored for executive needs, from heavy books and important documents to daily essentials and personal items, everything finds its place in clear order.

MEETING SPACE

The irregular desktop breaks away from convention, softening the formality of meetings. Gathered around it, conversations feel more open, and creativity comes naturally.

Unlimited Configurations, Unbounded Possibilities

Designed around a shared-use concept, LIDO links basic and extended units with shared legs.
Add desks effortlessly to create a scalable workspace that evolves with your team.

The conference table comes in a minimalist style and is designed for enhanced meeting efficiency.

High Table for Casual Talk

Gather, pause, and connect – these tables make every interaction feel effortless.

Multiple Tabletops to Spark Creativity

Straight

Butterfly-Shaped

L-Shaped

120° Angled

STAFF SPACE

The Practical Desktop
The straight desktop presents a clean, balanced look with generous legroom. Optional felt panels add a touch of warmth and privacy, blending comfort with sustainable thinking.

Create Boundaries in a Snap

The semi-open screen balances focus and collaboration. Symmetrically angled legs catch the eye, while desks can be configured with ease to suit any layout.

Moveable screens between open-plan desks allow focus or collaboration at a moment's notice. A mix of materials and vibrant colors adds depth and energy to the space.

Flexible Configurations for Every Team

Paired with slim partitions, the face-to-face desk balances openness and focus. Under-desk pedestals keep essentials neatly stored and within reach. Modular in design, it can be easily extended or reconfigured to meet the needs of growing teams and dynamic spaces.



Extended tabletop brings ideas together

Smart Storage for a Tidy Space

Work Together,
Create Anywhere

H- and C-shaped desks support focused work and collaborative moments. Back-to-back for concentration, or turned for discussion, each setup flows effortlessly, inspiring creativity and teamwork.

X-Shaped

H-Shaped

E-Shaped

Six Desks Combined for Group Chat

A 6-person workstation formed by 120° desks enhances efficient collaboration while inspiring creativity and teamwork.

Capture the Beauty of Butterfly

Butterfly-shaped desktops, graceful and dynamic, inspire ideas to take flight. Extended surfaces at each end make collaboration effortless.

Aluminum Frame Panel + Integrated Desktop

Slim Panel + Integrated Desktop

New Fabric Panel + Integrated Desktop

Aluminum Frame Panel + Split Desktop

Slim Panel + Split Desktop

New Fabric Panel + Split Desktop

Except for acrylic panels, all screens are compatible with both single-piece and modular desktops.

Double-layered linen provides both stability and substance, with a consistent color on each side for easy, clip-free installation. More than a partition, it's a refined detail that enhances the workspace.

Base Styles
Designed to Fit Any Work Style

Box-Shaped Bases



Door-Shaped Bases

π-Shaped Bases

Octagonal Bases (New)



A-Shaped Bases (New)

Note: Base styles must be confirmed based on actual desktop dimensions. Felt or steel modesty panels are selected according to the base type.

Multiple Cable Management,
Tidy Workspaces

Multiple cable management options keep your workspace tidy. Cable grommets in the desktop, integrated channels within screens, and concealed routing at the base ensure wires stay organized and out of sight.



Note: The lighting shown is a custom color.

AND MORE

LIDO PRO

Intelligent Lighting for Comfort and Focus

The intelligent lighting offers soft, glare-free illumination to reduce eye strain. An optional dedicated reading light provides focused lighting for detailed tasks.



Note: The lighting shown is a custom color.

Personalized Workstations, Tailored to You

No matter your style, create a workspace that's truly your own.

Organized Essentials, Easy Access

Succulents, Bringing Natural Vibes

Collectibles, Showing What You Love

Seamless
Day-to-Night Illumination

By day, the light complements natural daylight to keep the space easy on the eyes;
By night, it fills the workspace with an even, soothing glow.

Ambient Light

Reading Light

Motion-Sensor Light

Specification

DU87L/R
W2200*D1800*H750(mm)

DU83L/R.H
W2000*D1800*H750(mm)
W2200*D1800*H750(mm)

DU83L/R
W2005*D1765*H750(mm)
W2205*D1765*H750(mm)

DU82L/R
W1600*D1550*H750(mm)
W1800*D1550*H750(mm)

DU81L/R
W1400*D700*H750(mm)
W1500*D700*H750(mm)

DU80
W1600*D800*H25(mm)
W1800*D900*H25(mm)

DU74
W2000*D1000*H25(mm)

DU73
W2400*D1200*H25(mm)

DU72
W2800*D1400*H750(mm)
W3200*D1400*H750(mm)
W3600*D1400*H750(mm)

DU72A
W1400*D1400*H25(mm)
W1600*D1400*H25(mm)
W1800*D1400*H25(mm)

DU71
W1400*D1600*H25(mm)
W1500*D1500*H25(mm)
W1600*D1400*H25(mm)

DU60.GJ
W1200*D1200*H25(mm)
W1400*D1400*H25(mm)
W1500*D1400*H25(mm)
W1500*D1500*H25(mm)
W1600*D1400*H25(mm)
W1600*D1500*H25(mm)

DU61.GJ
W1200*D600*H25(mm)
W1400*D700*H25(mm)
W1500*D700*H25(mm)
W1500*D750*H25(mm)
W1600*D700*H25(mm)
W1600*D750*H25(mm)

DU63.GJ
W1200*D1200*H25(mm)
W1400*D1400*H25(mm)
W1500*D1400*H25(mm)
W1600*D1400*H25(mm)

DU64.GJ
W1200*D600*H25(mm)
W1400*D700*H25(mm)
W1500*D700*H25(mm)
W1600*D700*H25(mm)

DU60.CG
W1200*D1200*H25(mm)
W1400*D1400*H25(mm)
W1500*D1400*H25(mm)
W1500*D1500*H25(mm)
W1600*D1400*H25(mm)
W1600*D1500*H25(mm)

DU60A.CG
W1200*D1200*H25(mm)
W1400*D1400*H25(mm)
W1500*D1400*H25(mm)
W1500*D1500*H25(mm)
W1600*D1400*H25(mm)
W1600*D1500*H25(mm)

DU61.CG
W1200*D600*H25(mm)
W1400*D700*H25(mm)
W1500*D700*H25(mm)
W1500*D750*H25(mm)
W1600*D700*H25(mm)
W1600*D750*H25(mm)

DU61A.CG
W1200*D600*H25(mm)
W1400*D700*H25(mm)
W1500*D700*H25(mm)
W1500*D750*H25(mm)
W1600*D700*H25(mm)
W1600*D750*H25(mm)

DU62.CG
W1000*D1400*H25(mm)
W1200*D1400*H25(mm)

DU62A.CG
W1000*D1400*H25(mm)
W1200*D1400*H25(mm)

DU63.CG
W1000*D700*H25(mm)
W1200*D700*H25(mm)

DU63A.CG
W1000*D700*H25(mm)
W1200*D700*H25(mm)

DU66L/R.GJ
W1428*D1428*H25(mm)
W1528*D1528*H25(mm)
W1628*D1628*H25(mm)

DU67.GJ
W2828*D1428*H750(mm)
W3028*D1528*H750(mm)
W3228*D1628*H750(mm)

DU68.GJ
W1428*D2828*H25(mm)
W1528*D3028*H25(mm)
W1628*D3228*H25(mm)

DU69.GJ
W2828*D2828*H750(mm)
W3028*D3028*H750(mm)
W3228*D3228*H750(mm)

DU69A.GJ
W2828*D2828*H750(mm)
W3028*D3028*H750(mm)
W3228*D3228*H750(mm)

DU56.GJ
W2332*D2692*H750(mm)

DU57.GJ
W4664*D2692*H750(mm)

DU66L/R.CG
W1428*D1428*H750(mm)
W1528*D1528*H750(mm)
W1628*D1628*H750(mm)

DU67.CG
W2828*D1428*H750(mm)
W3028*D1528*H750(mm)
W3228*D1628*H750(mm)

DU68.CG
W1428*D2828*H750(mm)
W1528*D3028*H750(mm)
W1628*D3228*H750(mm)

DU68A.CG
W1428*D2828*H750(mm)
W1528*D3028*H750(mm)
W1628*D3228*H750(mm)

DU69.CG
W2828*D2828*H750(mm)
W3028*D3028*H750(mm)
W3228*D3228*H750(mm)

DU50.CG
W1000*D1400*H25(mm)
W1200*D1400*H25(mm)
W1400*D1400*H25(mm)
W1600*D1400*H25(mm)

DU51.CG
W1000*D700*H25(mm)
W1200*D700*H25(mm)
W1400*D700*H25(mm)
W1600*D700*H25(mm)

DU52
W1200*D1800*H750(mm)
W1700*D1800*H750(mm)
W1800*D1800*H750(mm)
W1900*D1800*H750(mm)

DU58.GJ
W1200*D350*H25(mm)
W1400*D350*H25(mm)
W1500*D350*H25(mm)

DU53
W1800*D1200*H1100(mm)
W2000*D1200*H1100(mm)

Specification

DU54
W1400*D600*H1100(mm)
W1500*D600*H1100(mm)
W1600*D600*H1100(mm)

DU54
W2800*D600*H1100(mm)
W3000*D600*H1100(mm)
W3200*D600*H1100(mm)

DU54A
W1400*D600*H1100(mm)
W1500*D600*H1100(mm)
W1600*D600*H1100(mm)

DU76
φ1000*H750(mm)
φ1200*H750(mm)

DU75
W1000*D1000*H750(mm)

DU40.GJ
W1400*D1400*H25(mm)
W1500*D1400*H25(mm)
W1600*D1400*H25(mm)

DU41.GJ
W1400*D750*H25(mm)
W1500*D750*H25(mm)
W1600*D750*H25(mm)

DU40.CG
W1400*D1400*H25(mm)
W1500*D1400*H25(mm)
W1600*D1400*H25(mm)

DU40A.CG
W1400*D1400*H25(mm)
W1500*D1400*H25(mm)
W1600*D1400*H25(mm)

DU41.CG
W1400*D750*H25(mm)
W1500*D750*H25(mm)
W1600*D750*H25(mm)

DU41A.CG
W1400*D750*H25(mm)
W1500*D750*H25(mm)
W1600*D750*H25(mm)

DU32C
W394*D1366*H725(mm)

DU32M
W394*D1366*H725(mm)

DU33
W394*D728*H725(mm)

DU20
W346*D1400*H375(mm)

DU20
W346*D700*H375(mm)

DU21C
W340*D1194*H725(mm)
W340*D1394*H725(mm)
W340*D1494*H725(mm)

DU21M
W340*D1194*H725(mm)
W340*D1394*H725(mm)
W340*D1494*H725(mm)

DU21L
W340*D594*H725(mm)
W340*D694*H725(mm)
W340*D744*H725(mm)

DU21R
W340*D594*H725(mm)
W340*D694*H725(mm)
W340*D744*H725(mm)

DU21M
W340*D594*H725(mm)
W340*D694*H725(mm)
W340*D744*H725(mm)

DU22C
W340*D1194*H725(mm)
W340*D1394*H725(mm)
W340*D1494*H725(mm)

DU22M
W340*D1194*H725(mm)
W340*D1394*H725(mm)
W340*D1494*H725(mm)

DU22L
W340*D594*H725(mm)
W340*D694*H725(mm)
W340*D744*H725(mm)

DU22R
W340*D594*H725(mm)
W340*D694*H725(mm)
W340*D744*H725(mm)

DU22M
W340*D594*H725(mm)
W340*D694*H725(mm)
W340*D744*H725(mm)

DU23L
W1600*D400*H1150(mm)

DU23R
W1600*D400*H1150(mm)

Specification

DUBP.P
W880*D315*H8(mm)
W980*D315*H8(mm)
W1080*D315*H8(mm)
W1180*D315*H8(mm)
W1280*D315*H8(mm)
W1380*D315*H8(mm)
W1480*D315*H8(mm)
W1580*D315*H8(mm)

DUBP.J
W880*D315*H8(mm)
W980*D315*H8(mm)
W1080*D315*H8(mm)
W1180*D315*H8(mm)
W1280*D315*H8(mm)
W1380*D315*H8(mm)
W1480*D315*H8(mm)
W1580*D315*H8(mm)

DUBP.S
W880*D315*H8(mm)
W980*D315*H8(mm)
W1080*D315*H8(mm)
W1180*D315*H8(mm)
W1280*D315*H8(mm)
W1380*D315*H8(mm)
W1480*D315*H8(mm)
W1580*D315*H8(mm)

DUBP.Y
W880*D315*H8(mm)
W980*D315*H8(mm)
W1080*D315*H8(mm)
W1180*D315*H8(mm)
W1280*D315*H8(mm)
W1380*D315*H8(mm)
W1480*D315*H8(mm)
W1580*D315*H8(mm)

DUBP.BA
W980*D315*H8(mm)
W1180*D315*H8(mm)
W1380*D315*H8(mm)
W1480*D315*H8(mm)
W1580*D315*H8(mm)

DUBP.BB
W880*D315*H8(mm)
W1080*D315*H8(mm)
W1180*D315*H8(mm)
W1280*D315*H8(mm)

DUBP.MA
W880*D315*H11(mm)
W980*D315*H11(mm)
W1080*D315*H11(mm)
W1180*D315*H11(mm)
W1280*D315*H11(mm)
W1380*D315*H11(mm)
W1480*D315*H11(mm)
W1580*D315*H11(mm)

DULK.B
W900*D330*H28(mm)
W1000*D330*H28(mm)
W1100*D330*H28(mm)
W1200*D330*H28(mm)
W1300*D330*H28(mm)
W1400*D330*H28(mm)
W1500*D330*H28(mm)
W1600*D330*H28(mm)

DULK.BD
W1200*D330*H28(mm)
W1400*D330*H28(mm)
W1500*D330*H28(mm)
W1600*D330*H28(mm)

DULK.BS
W1200*D330*H28(mm)
W1400*D330*H28(mm)
W1500*D330*H28(mm)
W1600*D330*H28(mm)

DULK.P
W900*D330*H28(mm)
W1000*D330*H28(mm)
W1100*D330*H28(mm)
W1200*D330*H28(mm)
W1300*D330*H28(mm)
W1400*D330*H28(mm)
W1500*D330*H28(mm)
W1600*D330*H28(mm)

DULK.PD
W1200*D330*H28(mm)
W1400*D330*H28(mm)
W1500*D330*H28(mm)
W1600*D330*H28(mm)

DULK.PS
W1200*D330*H28(mm)
W1400*D330*H28(mm)
W1500*D330*H28(mm)
W1600*D330*H28(mm)

DULK.ZB
W900*D330*H28(mm)
W1000*D330*H28(mm)
W1100*D330*H28(mm)
W1200*D330*H28(mm)
W1300*D330*H28(mm)
W1400*D330*H28(mm)
W1500*D330*H28(mm)
W1600*D330*H28(mm)

DULK.ZBD
W1200*D330*H28(mm)
W1400*D330*H28(mm)
W1500*D330*H28(mm)
W1600*D330*H28(mm)

DULK.ZBS
W1200*D330*H28(mm)
W1400*D330*H28(mm)
W1500*D330*H28(mm)
W1600*D330*H28(mm)

DUTP.P
W600*D690*H8(mm)
W700*D690*H8(mm)
W750*D690*H8(mm)
W1000*D690*H8(mm)
W1200*D690*H8(mm)
W1400*D690*H8(mm)
W1500*D690*H8(mm)
W1600*D690*H8(mm)

DUTP.B
W600*D690*H11(mm)
W700*D690*H11(mm)
W750*D690*H11(mm)
W1000*D690*H11(mm)
W1200*D690*H11(mm)
W1400*D690*H11(mm)
W1500*D690*H11(mm)
W1600*D690*H11(mm)

DUZP.P
W580*D295*H8(mm)
W680*D295*H8(mm)
W730*D295*H8(mm)

DUZP.Y
W580*D295*H8(mm)
W680*D295*H8(mm)
W730*D295*H8(mm)

DUZP.B
W580*D295*H11(mm)
W680*D295*H11(mm)
W730*D295*H11(mm)

DUZP.M
W580*D295*H11(mm)
W680*D295*H11(mm)
W730*D295*H11(mm)

DUBP.M
W970*D220*H12(mm)
W1170*D220*H12(mm)
W1270*D220*H12(mm)
W1370*D220*H12(mm)

DUBP.C
W980*D315*H20(mm)
W1180*D315*H20(mm)
W1380*D315*H20(mm)
W1480*D315*H20(mm)
W1580*D315*H20(mm)

DUPJP
W971*D463*H220(mm)
W1171*D463*H220(mm)
W1271*D463*H220(mm)
W1371*D463*H220(mm)

DUPJPT
W947*D463*H18(mm)
W1147*D463*H18(mm)
W1247*D463*H18(mm)
W1347*D463*H18(mm)

Specification

DU24.033IL
W330*D28*H28(mm)

DU24.033IT
W330*D28*H28(mm)

DU24.033IX
W330*D28*H28(mm)

DU24.033IY
W330*D28*H28(mm)

DUPFJ
W40*D36*H70(mm)

DUDXC
W113*D60*H160(mm)

DUXHT
W500*D110*H140(mm)

DUXHG.A
W453*D142*H42(mm)

DUXHG.B
W453*D142*H42(mm)

DUSXX
W489*D60*H560(mm)

DUDXX
W349*D60*H560(mm)

DUPJ.DBZJ

DUPJ.SBZJ

DUBJ.YDD

DU28 (New)
W497*D190*H125(mm)

DU30
W1021*D41*H153(mm)
W1221*D41*H153(mm)
W1321*D41*H153(mm)
W1421*D41*H153(mm)

DU31
W1221*D300*H1100(mm)
W1321*D300*H1100(mm)
W1421*D300*H1100(mm)

DUXDB
W600*D290*H8(mm)
W700*D290*H8(mm)
W800*D290*H8(mm)
W900*D290*H8(mm)
W1100*D290*H8(mm)
W1200*D290*H8(mm)
W1300*D290*H8(mm)

DUDXC
W880*D110*H140(mm)
W1070*D110*H140(mm)
W1090*D110*H140(mm)
W1290*D110*H140(mm)
W1304*D110*H140(mm)
W1318*D110*H140(mm)
W1390*D110*H140(mm)
W1404*D110*H140(mm)
W1418*D110*H140(mm)
W1490*D110*H140(mm)
W1504*D110*H140(mm)
W1518*D110*H140(mm)
W1690*D110*H140(mm)

DUDXC (New)
W719*D110*H60(mm)
W819*D110*H60(mm)
W865*D110*H60(mm)
W919*D110*H60(mm)
W947*D110*H60(mm)
W1019*D110*H60(mm)
W1047*D110*H60(mm)
W1065*D110*H60(mm)
W1119*D110*H60(mm)
W1147*D110*H60(mm)
W1319*D110*H60(mm)

Executive Desk Bases

DUKJ
W790*D60*H725(mm)
W890*D60*H725(mm)

DUMJ
W790*D60*H725(mm)
W890*D60*H725(mm)

DUXJ
W790*D40*H725(mm)
W890*D40*H725(mm)

DUXJ.H
W750*D285*H725(mm)

DUBJ
W680*D45*H725(mm)
W780*D45*H725(mm)
W880*D45*H725(mm)

DUBJ.H
W745*D282*H725(mm)

DUAJ
W780*D60*H725(mm)
W880*D60*H725(mm)

DUAJ.H
W703*D262*H725(mm)

Meeting Desk Bases

DUKJ
W990*D60*H725(mm)
W1590*D60*H725(mm)

DUMJ
W990*D60*H725(mm)
W1590*D60*H725(mm)

DUXJ
W1590*D40*H725(mm)

DUXJ.H
W1045*D293*H725(mm)
W1345*D293*H725(mm)

DUBJ
W980*D45*H725(mm)
W1580*D45*H725(mm)

DUBJ.H
W925*D232*H725(mm)
W1225*D232*H725(mm)

DUAJ
W1580*D60*H725(mm)

DUAJ.H
W1003*D272*H725(mm)
W1233*D237*H725(mm)

DU26
W1127*D110*H715(mm)

Specification

Single Desk Bases

DUKJ
W590*D60*H725(mm)
W690*D60*H725(mm)
W740*D60*H725(mm)

DUKJD
W590*D60*H725(mm)
W690*D60*H725(mm)
W740*D60*H725(mm)

DUMJ
W590*D60*H725(mm)
W690*D60*H725(mm)
W740*D60*H725(mm)

DUMJD
W590*D60*H725(mm)
W690*D60*H725(mm)
W740*D60*H725(mm)

DUXJL/R.A
W590*D40*H725(mm)
W690*D40*H725(mm)
W740*D40*H725(mm)

DUXDL/R.A
W590*D40*H725(mm)
W690*D40*H725(mm)
W740*D40*H725(mm)

DUBJL
W580*D45*H723(mm)
W680*D45*H723(mm)
W730*D45*H723(mm)

DUBJDL
W580*D45*H723(mm)
W680*D45*H723(mm)
W730*D45*H723(mm)

DUBJR
W580*D45*H723(mm)
W680*D45*H723(mm)
W730*D45*H723(mm)

DUBJDR
W580*D45*H723(mm)
W680*D45*H723(mm)
W730*D45*H723(mm)

DUAJ
W580*D60*H718.5(mm)
W680*D60*H718.5(mm)
W730*D60*H718.5(mm)

DUAJD
W580*D60*H718.5(mm)
W680*D60*H718.5(mm)
W730*D60*H718.5(mm)

DU27
W527*D110*H715(mm)
W627*D110*H715(mm)
W677*D110*H715(mm)

Back-to-Back Desk Bases

DUKJ
W1190*D60*H725(mm)
W1390*D60*H725(mm)
W1490*D60*H725(mm)

DUKJD
W1190*D60*H725(mm)
W1390*D60*H725(mm)
W1490*D60*H725(mm)

DUMJ
W1190*D60*H725(mm)
W1390*D60*H725(mm)
W1490*D60*H725(mm)

DUMJD
W1190*D60*H725(mm)
W1390*D60*H725(mm)
W1490*D60*H725(mm)

DUXJ.A
W1190*D40*H725(mm)
W1390*D40*H725(mm)
W1490*D40*H725(mm)

DUXJD.A
W1190*D40*H725(mm)
W1390*D40*H725(mm)
W1490*D40*H725(mm)

DUBJ
W1180*D45*H723(mm)
W1380*D45*H723(mm)
W1480*D45*H723(mm)

DUBJD
W1180*D45*H723(mm)
W1380*D45*H723(mm)
W1480*D45*H723(mm)

DUAJ
W1130*D60*H718.5(mm)
W1330*D60*H718.5(mm)
W1430*D60*H718.5(mm)

DUAJD
W1130*D60*H718.5(mm)
W1330*D60*H718.5(mm)
W1430*D60*H718.5(mm)

DU25
W957*D110*H715(mm)
W1157*D110*H715(mm)
W1257*D110*H715(mm)

Material

Desk Material

Main Color

S-83 S-84 S-77 S-57

Optional Color

S-53 S-37 S-56 S-66

Secondary Color

S-59 S-57

Two-tone Combinations

S-59 S-57 S-93

Under-desk Modesty Panel

S-59 S-57

Steel Bases(Box-Shaped Bases/Door-Shaped Bases/π-Shaped Bases)

Sand Meteor Grey | Sand White | Sand Ivory White

Steel Bases(Octagonal Bases/A-Shaped Bases)

Sand Cinnabar Red | Sand Moss Green | Sand Meteor Grey | Sand Ivory White

Cabling Trunk Connector / Cabling Trunk / Cable Box Support

Sand Meteor Grey

Middle Bases / Cabling Box

Sand Cinnabar Red | Sand Moss Green | Sand Meteor Grey | Sand White | Sand Ivory White

Cable Box

Meteor Grey | Oxidized Silver White | Warm White

Wooden Cabinet

Main Color

S-83 S-84 S-77 S-57

Secondary Color

S-59 S-57

Steel Cabinet

Matte Meteor Grey | Matte Ivory White

On-desk Thin Screen Material

Main Color

S-83 S-84 S-77 S-57

Optional Color

S-53 S-37 S-56 S-66

Thin Screen Clip

Meteor Grey | Warm White

TM-CI10 TM-CI27 TM-CI21 TM-CI81 TM-CI82 TM-CI62 TM-CI60 TM-CI80 TM-CI83

TM-CI30 TM-CI42 TM-CI50 TM-CI35 TM-CI29 White Glass Frosted Glass Frosted Acrylic Sapphire Blue + Deepwater Grey

Unibody Thin Screen Material

Main Color

S-83 S-84 S-77 S-57

Optional Color

S-53 S-37 S-56 S-66

External Cap Color

Meteor Grey Warm White

TM-CI10 TM-CI27 TM-CI21 TM-CI81 TM-CI82 TM-CI62 TM-CI60 TM-CI80

TM-CI83 TM-CI30 TM-CI42 TM-CI50 TM-CI35 TM-CI29

On-desk Aluminum-frame Screen Material

Main Color

S-83 S-84 S-77 S-57

Optional Color

S-53 S-37 S-56 S-66

Aluminum Frame Color

Meteor Grey Warm White

TM-CI10 TM-CI27 TM-CI21 TM-CI81 TM-CI82 TM-CI62 TM-CI60 TM-CI80

TM-CI83 TM-CI30 TM-CI42 TM-CI50 TM-CI35 TM-CI29

Flexible Screen Material

Main Color

S-83 S-84 S-77 S-57

Optional Color

S-53 S-37 S-56 S-66

Component Color

Sand Meteor Grey Sand White

TM-CI10 TM-CI27 TM-CI21 TM-CI81 TM-CI82 TM-CI62 TM-CI60 TM-CI80

TM-CI83 TM-CI30 TM-CI42 TM-CI50 TM-CI35 TM-CI29 Sapphire Blue + Deepwater Grey

Thick Fabric Partition Screen

TM-CI10 TM-CI27 TM-CI21 TM-CI81 TM-CI82 TM-CI62 TM-CI60 TM-CI80 TM-CI83

TM-CI30 TM-CI42 TM-CI50 TM-CI35 TM-CI29

Low Felt Partition Screen

Moss Gray

Functional Beam (Vertical/Horizontal Beam)

Cinnabar Red Meteor Gray Ivory White

Monitor Stand

Black Matte White

Cable Box Support

Meteor Gray Ivory White

Cable Tray (New)

Sand Meteor Gray Sand Ivory White

Light

Ivory White

Reading Light

Black White

Storage Platform / Platform Surround Screen

Main Color

S-83 S-84 S-77 S-57

Optional Colors

S-59 S-53 S-37 S-56 S-66

Support Arm

Sand Meteor Gray Sand Ivory White

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.