

Sunón



Sunón

European R&D Center

Add: Brunnenstrasse 156, 10115 Berlin, Germany

Sunon Mexico Manufacturing Base & Experience Center

Add: Calle Palomas No. 201, Parque Industrial Hofusan, Salinas Victoria, Nuevo León CP 65500

USA Headquarters & Experience Center

Add: 311 N Green Street, Suite 900, Chicago IL 60607

Singapore Branch & Experience Center

Add: #01-02 R Building, 18 Robinson Road, Singapore 048547

India Branch & Experience Center

Add: Floor I & II, 643, Rd Number 36, Aditya Enclave, Venkatagiri, Jubilee Hills, Hyderabad, Telangana 500033, India

Headquarters & Experience Center - Sunon Technological Innovation Park

Add: No.1666 Zhixing Road, Xiaoshan District, Hangzhou, Zhejiang, China

     @sunonfurniture www.sunonglobal.com info@isunon.com



OPPIN



Sit · Dynamic lumbar support



OPPIN

Lean · Head-neck support.



Lie · Immersive rest.





Dual Adaptive Lumbar Support

A double torsion spring mechanism responds to body weight, rotating up to 15° to maintain continuous lumbar support. Consistent support in both upright and reclined positions.





120mm height adjustment to suit different sitting positions



60° tilt adjustment for varied postures



Dual adjust, head-neck support

A 138° recline and extendable footrest allow the body to fully stretch out. A short break, restored for what's next.



Versatile configurations, customizable style

Black or gray frames complemented by vibrant seat colors create a balance of professional elegance and lively energy.



Function

4D Handrest



50mm
forward/backward



25° swivel
left/right



18mm lateral
adjustment



70mm height
adjustment

Specification



COP81SW
W720*D640*H1110(mm)



COP80SW
W720*D640*H1110(mm)



COP63SW
W720*D625*H1015(mm)



COP62SW
W720*D625*H1015(mm)



COP61SW
W735*D595*H1030(mm)



COP60SW
W735*D595*H1030(mm)



COP31PJ
W310*D270*H135(mm)



COP30PJ
W310*D270*H135(mm)

Material

Backrest / Headrest/Footrest



CW-AF10 CW-AF13 CW-AF16

Seat



TM-LE10 TM-LE21 TM-LE34 TM-LE39 TM-LE46 TM-LE52 TM-LE70

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.