
## To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabrlc surface to restore the outlook

### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.


#### Note:





2 Handle it with care and use a protection layer.








③ Contact Sunon if you have any confusions.

# Sunon

Thanks for buying this product.

Please read this instruction carefully before use.



## Using instruction:

#### Product introduction

Model: SF66.1.WP Name: Single-seat sofa Dimension: 930\*760\*760\*440MM

: Premium plywood, fabric, coating steel leg,

cutting foam

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


### Material:


Material	water-based leather/EPU	Colorful and diversified.
Material	hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
rilling	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
	artificial panel	Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standards
materials	reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
.	hardware	Premium (A-grade) accessory, lightweight, durable and safe.

## Warranty:

- The warranty is only valid in China.
- •Damage caused by improper use is not covered by the warranty.
- •Damage caused by fire or natural disasters is not covered by the warranty.









Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:





To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

#### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

#### Note:





2 Handle it with care and use a protection layer.








③ Contact Sunon if you have any confusions.

## Sunon

Thanks for buying this product.

Please read this instruction carefully before use.



Product introduction

Model: SF66.3.WP Name: Three-seat sofa

Dimension: 1960\*760\*760\*440MM

: Premium plywood, fabric, coating steel leg,

Using Instruction:

cutting foam

QB/T\_1952. 1-2012

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base: No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


## Material:


Material	water-based leather/EPU	Colorful and diversified.
Material	hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
rilling	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
	artificial panel	Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standard
		4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
hardware		Premium (A-grade) accessory, lightweight, durable and safe.

## Warranty:

- The warranty is only valid in China.
- •Damage caused by improper use is not covered by the warranty.
- •Damage caused by fire or natural disasters is not covered by the warranty.









Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:



To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:


Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushlon the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack jubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushlon beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

#### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.


#### Note:





2 Handle it with care and use a protection layer.






③ Contact Sunon if you have any confusions.

# Sunon

Thanks for buying this product. Please read this instruction carefully before use.



Using instruction:

#### Product introduction

Model: SF67.1.WP Name: Single-seat sofa

Dimension:: 970\*760\*760\*440MM

Material: Premium plywood, fabric, coating steel leg,

cutting foam

Standard : QB/T  $\_$  1952. 1-2012 soft furniture sofa

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China

#### Material:

Material	water-based leather/EPU	Colorful and diversified.
Material	hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
Filling	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
_	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
	artificial panel	Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standard
materials reinforce	reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
l l	hardware	Premlum (A-grade) accessory, lightweight, durable and safe.


### Warranty:

- The warranty is only valid in China.
- •Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.




Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:



## To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:


<u> </u>		· · · · · · · · · · · · · · · · · · ·
Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
CreakIng sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

#### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.


## Note:





2 Handle it with care and use a protection layer.








③ Contact Sunon if you have any confusions.

# Sunon

Thanks for buying this product. Please read this instruction carefully before use.



## Product introduction

Model: SF67.3.WP Name: Three-seat sofa

Dimension: 2000\*760\*760\*440MM

: Premium plywood, fabric, coating steel leg,

Using Instruction:

cutting foam

QB/T 1952.1-2012

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China

## Material:

/ Material	water-based leather/EPU	Colorful and diversified.
Waterial	hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
	artificial panel	Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standards.
materials reinfo	reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
	hardware	Premium (A-grade) accessory, lightweight, durable and safe.


## Warranty:

- The warranty is only valid in China.
- ●Damage caused by improper use is not covered by the warranty.
- •Damage caused by fire or natural disasters is not covered by the warranty.




Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:



## To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues

DOTACTOR CO BINGTY	100400.	
Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

#### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

#### Note:







② Handle it with care and use a protection layer.




At least two people are required.







Thanks for buying this product. Please read this instruction carefully before use.



Using instruction:

Model: SF68.1.WP

Name : Single-seat sofa Dimension: 760\*760\*760\*440MM

Material: Premium plywood, fabric, coating steel

leg, cutting foam

Standard: QB/T 1952. 1-2012 soft furniture sofa

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200

Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base: No. 5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


#### Material:


Material	water-based leather/EPU	Colorful and diversified.
iviateriai	hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
Filling	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
	artificial panel	Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standards
materials reinforced steel	reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
hardware		Premium (A-grade) accessory, lightweight, durable and safe.

## Warranty:

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.









Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:





## To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:


Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

#### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

#### Note:





2 Handle it with care and use a protection layer.








3 Contact Sunon if you have any confusions.

# Sunon

Thanks for buying this product.

Please read this instruction carefully before use.



## Product introduction

Model: SF68.3.WP Name: Three-seat sofa

Dimension: 1790\*760\*760\*440MM

: Premium plywood, fabric, coating steel leg,

Using Instruction:

cutting foam

QB/T\_1952. 1-2012

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


### Material


$\overline{}$		5
water-based leather/EPU		Colorful and diversified.
Material	hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
Filling	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
	artificial panel	Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standards
materials	reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
	hardware	Premium (A-grade) accessory, lightweight, durable and safe.

## Warranty:

- The warranty is only valid in China.
- •Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.









Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:





## To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:


Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack jubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

#### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.


#### Note:





② Handle it with care and use a protection layer.










③ Contact Sunon if you have any confusions.

# Sunon

Thanks for buying this product. Please read this instruction carefully before use.



#### Using instruction:

#### Product introduction

Model: SF69.1.WP Name: Single-seat sofa Dimension: 910\*760\*760\*440MM

Material: Premium plywood, fabric, coating steel

leg, cutting foam

Standard: QB/T 1952. 1-2012 soft furniture sofa

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianijang CBD, Hangzhou, Zheijang

Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


### Material:


Material	water-based leather/EPU	Colorful and diversified.
iviaterial	hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
i illing	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
artificial panel		Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standards
= ***=*		4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
	hardware	Premium (A-grade) accessory, lightweight, durable and safe.

#### Warranty:

- ullet The warranty is only valid in China.
- •Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.









Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:





## To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:


Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creak <b>i</b> ng sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

#### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs
  patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

## Note:





② Handle it with care and use a protection layer.








③ Contact Sunon if you have any confusions.

# Sunon

Thanks for buying this product.

Please read this instruction carefully before use.



## Product introduction

Model: SF69.3.WP Name: Three-seat sofa

Dimension: 1940\*760\*760\*440MM

: Premium plywood, fabric, coating steel leg,

Using Instruction:

cutting foam

QB/T\_1952.1-2012

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


#### Material:


Material water-based leather/E hemp soft cloth/polye		Colorful and diversified.
		Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
Filling	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
artificial panel		Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standards.
		4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
hardware		Premium (A-grade) accessory, lightweight, durable and safe.

## Warranty:

- The warranty is only valid in China.
- •Damage caused by improper use is not covered by the warranty.
- •Damage caused by fire or natural disasters is not covered by the warranty.









Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:





## To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:

DOTACTON CO SMATT	IBBUEB.	
Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushlon the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushlon beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs
  patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.


#### Note:





2 Handle it with care and use a protection layer.







③ Contact Sunon if you have any confusions.

# Sunon

Thanks for buying this product.

Please read this instruction carefully before use.



## Using instruction:

#### Product introduction

Model: SF70.1.WP Name: Single-seat sofa Dimension: 810\*760\*760\*440MM

Material: Premium plywood, fabric, coating steel

leg, cutting foam

Standard: QB/T 1952. 1-2012 soft furniture sofa

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejjang

Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


### Material:


Material wa	water-based leather/EPU	Colorful and diversified.
Waterial	hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
rilling	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
artificial panel		Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standards
materials reinforced stee	reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint compiles with national standard and has great resistance to heat and impact.
hardware		Premium (A-grade) accessory, lightweight, durable and safe.

### Warranty:

- The warranty is only valid in China.
- ullet Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.









Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:





To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:


Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessorles move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
CreakIng sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabrlc surface to restore the outlook

#### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs
  patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

#### Note:






2 Handle it with care and use a protection layer.








③ Contact Sunon if you have any confusions.

# Sunon

Thanks for buying this product. Please read this instruction carefully before use.



## Product introduction

Model: SF70.3.WP

Name: Three-seat sofa Dimension: 1840\*760\*760\*440MM

: Premium plywood, fabric, coating steel leg,

Using Instruction:

cutting foam

QB/T 1952.1-2012

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


#### Material:


/ Material	water-based leather/EPU	Colorful and diversified.
		Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
Filling	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
Spring Spring		Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
		Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standards.
		4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
hardware		Premium (A-grade) accessory, lightweight, durable and safe.

## Warranty:

- The warranty is only valid in China.
- ●Damage caused by improper use is not covered by the warranty.
- •Damage caused by fire or natural disasters is not covered by the warranty.









Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:





## To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:


Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

#### Note:





2 Handle it with care and use a protection layer.



At least two people are required.





③ Contact Sunon if you have any confusions.

# Sunon

Thanks for buying this product. Please read this instruction carefully before use.



#### Using Instruction:

#### Product introduction

Mold: SF71.1.WP Name: Single-seat sofa

Dimension: 890\*760\*760\*440MM Material: Premium plywood, fabric, coating steel

leg, cutting foam

Standard: QB/T 1952. 1-2012 soft furniture sofa

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


### Material:


Material	water-based leather/EPU	Colorful and diversified.
	hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Eilling	resilient foam	Moderate hardness, good resilience, not easy to deform.
Filling silk wadding		Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
artificial panel		Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets nation	
materials reinforced steel wire 4.0mm-6.0mm diameter ensures higher elasticity and beveled wood piece The paint complies with national standard and has g		4.0mm-6.0mm diameter ensures higher elasticity and durability.
		The paint complies with national standard and has great resistance to heat and impact.
		Premium (A-grade) accessory, lightweight, durable and safe.

#### Warranty:

- The warranty is only valid in China.
- •Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.









Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

## Assembly instruction:





To extend the longevity of product, please read this instruction carefully before use:




#### Solution to small issues:


Solution to Small	issues.	_
Malfunction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessorles move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
CreakIng sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

#### Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.


#### Note:





② Handle it with care and use a protection layer.








③ Contact Sunon if you have any confusions.

Thanks for buying this product. Please read this instruction carefully before use.



## Product introduction

Model: SF71.3.WP Name: Three-seat sofa

Dimension: 1920\*760\*760\*440MM

: Premium plywood, fabric, coating steel leg,

Using Instruction:

cutting foam

QB/T 1952.1-2012

This product is for indoor use.

Sunon Technology Co., Ltd. Service Hotline: 4008-600-666

Website: https://www.sunonglobal.com/

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base:No.5806 Qixi 3rd road, Qiantang District,


Hangzhou, Zhejiang, China


## Material


Material water-based leather/E hemp soft cloth/polye		Colorful and diversified.
		Flame retardant, stain resistant and not easily deformed.
Filling	resilient foam	Moderate hardness, good resilience, not easy to deform.
Filling	silk wadding	Uniform thickness, smooth and comfortable hand feeling.
	solid wood	Top quality natural larch wood, moisture content ≤ 12%, not easily deformed, safe and eco-friendly.
artificial panel		Formaldehyde emission complies with GB/T 39600-2021 E0-grade standard.
Other	spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity and meets national standards.
		4.0mm-6.0mm diameter ensures higher elasticity and durability.
	beveled wood piece	The paint complies with national standard and has great resistance to heat and impact.
hardware		Premium (A-grade) accessory, lightweight, durable and safe.

## Warranty:

- The warranty is only valid in China.
- •Damage caused by improper use is not covered by the warranty.
- •Damage caused by fire or natural disasters is not covered by the warranty.







## Assembly instruction:

