



DMA 24 Series Freestanding Open Storage Assembly Manual



The instructions within apply only to the DMA24 Series. Please read and understand before assembly




The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global




	Name	<u>Qty</u>
1	Side Panel, left	1
2	Side Panel, right	1
3	Top Panel	1
4	Back Panel	1
5	Bottom Panel	1
6	Shelf	1


A			B			C		
Foot		4x	Cam-lock		13x	Shelf Mount —	M6.4*7	4x
E S			100	F				
Wood Screw	M7*38	6x	Wood Screw_ S	T5.5*20	12x	Cable Grommet		1x



























Mall Series Overhead Storage With Doors DMA27-2 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838


Exploded Diagram




Number	Name	Quantity		
1	back panel	1		
2	top panel	1		
3	left side panel	1		
4	bottom panel	1		
5	stand panel	1		
6	left door panel	1		
7	right door panel	1		
8	right side panel	1		


Parts listing


			B			C		
new cam lock	Ø15*22	22	soft-close door hinges	full overlay hinge	4	cross countersun self-tapping scre		4
		E			F			
suspension	special shaped hardware	2	mounting plates	58*31*7.3	2	cross pan head self-tapping screws	ST5*16	4
G								
expansion screws	M6*48	4						


















Attach the suspension brackets to the back of the cabinet.



Install expansion screws into the wall.

7


Drill four holes into the wall using an electric hammer, based on the actual installation measurements.



Install mounting plates

8


Use self-tapping screws to secure the mounting plates onto the expansion screws.











Acceptance precautions



U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com

















Mall Series Overhead Storage With Doors DMA27-2 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838

Exploded Diagram




Number	Name	Quantity
1	left side panel	1
2	back panel	1
3	top panel	1
4	bottom panel	1
5	door panel	4
6	stand panel	1
7	right side panel	1

Parts listing

A			B			C		
new cam lock	Ø15*22	24	soft-close door hinges	full overlay hinge	4		nalf overlay ninge	4
	O		E			F		
cross countersunk self-tapping screw		4	concealed suspension orackets	special shaped hardware	2	mounting plates	58*31*7.3	2
G expansion	3		Cross pan head					
expansion screws	M6*48	4	self-tapping screws	ST5*16	4			

Insert cam lock rods into the top, bottom, and side panels.







Attach the left and right side panels to the back panel.

2

Note: Ensure that the cam lock holes on the back panel face outward and that the back panel's suspension bracket adjustment hole is aligned with the side panel's suspension bracket installation hole on the same side.






Attach the hinges to the door panels

4

Use full overlay hinges on two door panels.
Use half overlay hinges on the other two door panels.




Install door panels

5


Attach the door panels with full overlay hinges to the left and right sides of the cabinet.

Attach the door panels with half overlay hinges to the center of the cabinet.



Attach the suspension brackets to the back of the cabinet.






Install expansion screws into the wall.

7


Drill four holes into the wall using an electric hammer, based on the actual installation measurements.



Install mounting plates

8


Use self-tapping screws to secure the mounting plates onto the expansion screws.











Acceptance precautions



U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com


















DMA 28 Series Wall-mount Overhead Storage Assembly Manual







The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global





	Name		
1	Side Panel, left	1	
2	Side Panel, right	1	
3	Top Panel Back	1	
4	4 Panel Bottom		
5	Panel Divider	1	
6	Panel	1	
7	Felt Sliding Door	1	






























Mall Series Fixed Side Return DMA40R/L-2 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838

Exploded Diagram




Number	Name	Quantity		
1	Top Panel	1		
2	2 Bottom Panel			
3	Back Panel	1		
4	Under-Desk Fixed Pedestal	1		


Parts listing

		В	312					
new cam lock	Ø15*45	28	adjustable foot	M6*22	3	cross flat-head bolt	M6*30	4

Install the adjustable feet at the bottom of the side and back panels.












Place the fixed pedestal under the desktop to provide support. Use the cam locks to secure the desktop to the side and back panels.






Position the under-desk fixed pedestal as shown in the diagram.






Remove the drawer and use the cross flat-head bolts to secure the cabinet body to the desktop.









Acceptance precautions



Sunón

U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com


















Mall Series Under-Desk Fixed Pedestal DMA41-2 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838


Exploded Diagram



Number	Name	Quantity	
1	Fixed Cabinet	1	


Parts listing

A	B						
cross pan head coarse thread ST5.5*20 self-tapping screws	12	cabinet feet	60*60*40	4	cross pan head self-tapping scre	ST4*10 ws	4
D	E			F			
directional casters 54*35*62	1	handles	200*20*31	2	crosshead countersunk bolt	s M4*16	4
G		H					
metal file hanger 301*15*3.8 bracket	2	plastic file hanger clip	25*19*17.5	4			














Attach the handles to the drawers by securing them from the inside using self-tapping screws.








Install the file hanger


4

Install the plastic file hanger clips onto the F-shaped groove of the lowest drawer, as shown in the diagram

Snap the metal file hanger bracket onto the two plastic clips.







Acceptance precautions



Sunón

U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com


















Mall Series Under-Desk Fixed Pedestal DMA41-2 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838


Exploded Diagram




Number	Name	Quantity
1	Fixed Cabinet	1

Parts listing

A			B					
cross pan head coarse thread self-tapping screw	ST5.5*20	12	cabinet feet	60*60*40	4	cross pan head self-tapping screv	ST4*10 vs	4
D			E			F		
directional casters	54*35*62	1	handles	200*20*31	3	crosshead countersunk bolts	M4*16	6
G			H					
metal file hanger bracket	301*15*3.8	1	plastic file hanger clip	25*19*17.5	2			










Attach the handles to the drawers by securing them from the inside using self-tapping screws.








Install the file hanger

4

Install the plastic file hanger clips onto the F-shaped groove of the lowest drawer, as shown in the diagram


Snap the metal file hanger bracket onto the two plastic clips.











Acceptance precautions



Sunón

U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com















Sunon


Assembly Instruction for DMA60-2







Handle with care and make sure to place a protective layer on it





Contact your sales in Sunon if any quesitons






Beam
Beams
Return Leg
Main Desk Legs
Modesty Panel
Return
Desktop
NAME


Hardware

M6*15 4		330*40*30 1		120*90*8 4		M6×12 16	
4# 1		M6*25 1	—	96*70*130 2		M6*16 4	Φ
		100*50*2.5 2		70*25*13 2	71	ST5.5*2053	


- 1. Connect the pull head screw. rod to the side of the steel foot using а (M6 12) flat head socket
- 2. Fix the pull rod to the steel foot using (M6 \ast 16) countersunk hexagonal screws on top




1. Fix the LDD support arm to the steel foot using 2. Fix the LDD support single arm to the pull rod screws Fix the LDD support single arm to the pull rod using (M6 * 12) (M6 * 25) countersunk hex head flat head socket head screws.



Use self tapping screws (ST5.5 * 20) to connect and fix the table panel to frame. the steel




4




96*70*130 (X2)

70*25*13 (X2)


ST5.5*20 (X4)







M6*12 (X4)


120*90*8 (X2)















Mall II Series Staff Desk DMA60-2 Assembly Instructions




Assembly precautions



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at +86-400-8600-666.

Exploded diagram




NO.	ITEM	QTY
1	desktop panel	1
2	side desktop panel	1
3	divider panel	1
4	main desk steel legs	2
5	side desk steel legs	1
6	pull rod	2
7	reinforcement rib	1


Parts List

A			В			C			
hexagonal head screw	flat s M6x12	16	countersunk internal hexagon screws	al M6	*16	4	cross head self—tapping screws	ST5.5*20	53
D			E				F		
LDD bracketrm	120*90*8	4	divider bracket	96*70	*130	2	divider bracket attachment	70*25*13	2
G									
LD single bracket ar	m 330*40*3	0 1	countersunk hexagonal scre	ws M6	*25	1	iron plate	100*50*2.5	2
			K		•				
at head ross screw	M6*15	4	hexagonal wr (with ball)	rench	4#	1			


1.Assemble Steel Frame;




1. Install LDD Bracket Arms and LD Single Bracket Arm;




1. Install Desktop Panel;




1. Install Divider Bracket;




1. Install Divider Panels;




1.Install Side Desk Steel Legs Bracket Arms;




1. Install Side Desktop Panel;









Acceptance precautions



Sunon

No.200 Citizen Street, Sunon Central Business Building, Qianjiang Road, Hangzhou, China. isunon.com













Firm's Website Wechat account




Assembly Instruction DMA61-2



Please read this manual carefully before any operationand keep it properly for future use


NOTES




Handle with care and make sure to place a protective layer on it



Multiple people moving the good for safety.



Contact your sales in Sunon if any quesitons




These drawings identify the parts included with DMA61 Desk.

BOM




NO.	Item	QTY
1	Desktop	1
2	Desk Leg	1
3	Desk Leg	1
4	Beam	1


Hardware




- 1. Connect the beams to the side of the legs with (M6 * 12) screws. 2. Each side of a beam needs three screws.



1. Fix the to the bracketsto steel legs using (M6 * 12) screws.










NOTES



Sunon



Assembly Instruction DMA61-2



Please read this manual carefully before any operationand keep it properly for future use


NOTES




Handle with care and make sure to place a protective layer on it



Multiple people moving the good for safety.




Contact your sales in Sunon if any quesitons




These drawings identify the parts included with DMA61 Desk.

BOM




NO.	Item	QTY
1	Desktop	4
2	Desk Leg	2
3	Extension Leg	1
4	Beam	4
5	Wire Management	4
6	Modesty Panel	2
7	Screen	2
8	Screen	2


Hardware




- 1. Connect the beams to the side of the legs with (M6 * 12) screws.
- 2. Each side of a beam needs three screws.




- 1. Fix the to the bracketsto steel legs using (M6 * 12) screws.
- 2. Fix the support arms to the beams using (M6 * 25) screws.







1、Install screens




1. Install modesty panel



1. Install modesty panel




1. Install wire management







1. Install wire management




1、Install screens




1. Install screens







1. Install screens









NOTES




DMA 70 Series Bar Height Table Assembly Manual




The instructions within apply only to the DMA70 Series. Please read and understand before assembly





The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global





	Name	<u>Qty</u>
1	Counter Top	1
2	Legs	2
3	Top Support Bar	2
4	Foot Rest	1














DMA 71 Series Bar Height Table Assembly Manual




The instructions within apply only to the DMA71 Series. Please read and understand before assembly





The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global





	Name	Qty
1	Counter Top	1
2	Legs	2
3	Top Support Bar	2
4	Foot Rest	2

















ST4.2*6 (x16)













DMA 72 Series Bar Height Table Assembly Manual




The instructions within apply only to the DMA72 Series. Please read and understand before assembly




The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global




	45.	
	Name	<u>Q</u> ty
1	Counter Top	2
2	Legs	2
3	Middle Leg	1
4	Top Support Bar	4
5	Foot Rest	4










































DMA 73 Series High-top Cafe Table Assembly Manual







The diagrams below indicate all components-included with this product. If you are missing any of these, please contact Sunon Global




	Name	<u>Qty</u>
1	Table Top	1
2	Support Base	1


			В		5	C		
Machine Screw	M8*30	3	Machiñe Screw	M8*25	3	Wood Screw	ST5. 5*20	4





















Assembly Instruction for DMA74-2






These drawings identify the parts included with DMA60 Desj. Some of these parts are considered by regulatory bodies to be criftical components. If any parts shown here do not match your order, please contact Sunon at 949–337–8838




4	3	2	1	NO
Beam	Middle Legs	Side Legs	Desktop	NAME
6	2	2	3	QTY

4	ST3.5*14 12	<	120*90*8 12		M6x12 48	△
	50*26*7 12	H	500*110*140 3		M6*16 12	B (19)
	4# 1		412*148*28 3	F	ST5.5*20 ₈₄	<i>∞</i>

- 1. Connect the pull rod to the side of the steel foot using a (M6 * 12) flat head socket head screw.
- (as shown in Figure 1 below) 2. Fix the pull rod and steel foot with a (M6 st 16) countersunk hexagonal screw on top




Fix the LDD support arm to the steel foot using (M6 * 12) flat head socket head screws.






Connect the main body of the wire box holder to the end cover of the wire slot using 4 ST4.2 * 6 screws





Then buckle the plug board onto the box holder






- Use self tapping screws (ST5.5 \ast 20) to secure the LD cable tray to the countertop.
- 2. Install the wiring harness (as shown in Figure 1 below).







Use self tapping screws (ST5.5 \ast 20) to connect and fix the table panel to the steel frame (as shown in Figure 1 below)




Place the double flip box into the corresponding hole position on the countertop (as shown in the following figure $\,$



412*148*28 (X3)







Sunon




DMA 76 Series High-top Cafe Table Assembly Manual



The instructions within apply only to the DMA76 Series. Please read and understand before assembly





The diagrams below indicate all components-included with this product. If you are missing any of these, please contact Sunon Global





	Name	Qty
1	Table Base	1
2	Support Top	1

(A)			В		5	C		
Machine Screw	M8*30	3	Machiñe Screw	M8*25	3	Wood Screw	ST5. 5*20	4


















Mall Series Bullet Conference Table DMA77-2.150090 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.




Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838

Exploded Diagram




Number	Name	Quantity
1	side panels	1
2	1	
3	back panel	1
4	cover panel	1
5	tabletop panel	1


Parts listing



Attach the adjustable feet to the bottom of the side panels and back panel.



Install the panel connectors' raised clips on the cover panel (see Figure 1).












Install the panel connectors' recessed clips (Figure 1) on the front panel and attach the adjustable feet to the front pane




Install the new cam lock rods on the tabletop panel.
















Assemble the table base frame.














Acceptance precautions



U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com

















Mall Series Bullet Conference Table DMA77-2.180120 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838


Exploded Diagram



Number	Name	Quantity		
1	side panels	1		
2	front panel	1		
3	3 back panel			
4	4 cover panel			
5	tabletop panel	1		
6	support rod	1		
7	cross beam	1		
8	able disc base	1		

Parts listing


A			B			C		
new cam lock	Ø15*45	10	panel connectors	49*26*15	4	adjustable feet	M6*22	4
D1			D2			EI		
hexagonal round-head screw	M8*30	3	nexagonal flat-head screws	M8*30		cross flat round-head screw	ST5.5*20	8
E2			F			G		
cross flat-head screws	ST3.5*14	16	hex wrench	4#	1	LD rod iron plates	90*48*30	4
nexagonal flat-head screws	M6*16	4	hexagonal flat round-head screws	M6*12	8	40 end caps 44	.5*86.5*49	2









Install the panel connectors on the cover panel and front and back panels as shown in the diagram.



Attach the front and back panels to the side panels.














Assemble the disc base and attach the cross beam to the disc base. Cover with the end caps.




























Acceptance precautions



U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com















Sunon


DMA 81 Series Reception Desk Assembly Manual



The instructions within apply only to the DMA81 Series. Please read and understand before assembly




The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global




	Name	Qty
1	Table Top	1
2	Side Panel, left	1
3	Side Panel, right	1
4	Back Panel	1
5	Detail Panel	1
6	Shelf	1

A			В		2	C		
Support Bracket	55*30*25	8	Wood Screw	ST5*16	28	Cam-lock	Ф 15*45	16
D E F								
Table Support	1440*80*42	1	Glide	M6*22	8	Wood Screw	ST4*30	6













ST5*16 (x12)












Sunon

DMA 82 Series Reception Desk Assembly Manual








The diagrams below indicate all components-included with this product. If you are missing any of these, please contact Sunon Global





	Name	Qty
1	Table Top	1
2	Side Panel, left	1
3	Back Panel	1





















Mall Series Fixed Main Table DMA83-2 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.




Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838

Exploded Diagram



Number	Name	Quantity
1	top panel	1
2	left side panel	1
3	right side panel	1
4	divider panel	1


Parts listing



DMA83-2.150075: **L=1200,Q=8**


DMA83-2.180075/DMA83-2.180090:L=1600,Q=10

Attach the adjustable feet and 3-in-1 cam lock to the left and right side panels.










Install the tabletop panel.






Refer to the diagram for the optional under-desk fixed pedestal installation Place the under-desk fixed pedestal in the position shown in the diagram.



Skip this step if the under-desk pedesta was not selected.




The drawer front of the under-desk cabinet should be 6mm inside the fixed main table's tabletop

Ensure the under-desk fixed cabinet is tightly aligned with the side panels of the main table

5

Skip this step if the under-desk pedesta was not selected.







Refer to the diagram for the optional reinforcement bar installation.



Skip this step if the reinforcement bar was not selected.


For a 1.8-meter tabletop, use the 1.6-meter reinforcement bar with 10 screws. For a 1.5-meter tabletop, use the 1.2-meter reinforcement bar with 8 screws.











Acceptance precautions



U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com















Sunón


Mall Series Adjustable Side Table DMA84-2 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838

Exploded Diagram

Note: DMA84-2.120055 only has three door panels and one vertical panel



Number	Name	Quantity	Number	Name	Quantity
1	tabletop panel	1	8	back panel	2
2	right side panel	1	9	door panel	4
3	left side panel	1	10	foot rails	2
4	top panel	1	11	left support arm	1
5	bottom panel	1	12	right support arm	1
6	left vertical panel	1	13	adjustable column	2
7	right vertical panel	1	14	cross beam	2
			15	felt panel	1

Parts listing


A	B	C
new cam lock Ø15*45 44(38)	adjustable feet M6*22 8	pozi screws M7*38 4
D		F
plastic sleeves 96.5*66.5*19 4	cable snake 94*84*72.5 1	cable hole covers $\Phi 80$ 2
G		
hexagonal flat round-head screws M6*12 32(30)	cross flat-head M6*25 4	clamp set 131*70*28.5 2
	K	
cross flat round-head self-tapping screws ST5.5*20 8	soft-closing inner hinges 4	soft-closing half overlay hinges 4(2)
Equipped with self-tapping screws	N	
hand controller special shaped hardware	control box special shaped hardware	hanging cable snake 1320*90*70 1

配件清单




Note: this model has different accessory counts (A, G, and L) depending on the specific version

DMA84-2.120055:	A/quantity 38	G/quantity 30	L/quantity 2
DMA84-2.150055:	44	30	4
DMA84-2.150055:	44	32	4





Install the 3-in-1 cam lock rods on the indicated side of the bottom panel.







Insert the foot rails into the bottom panel and tighten the 3-in-1 cam lock.

3

Ensure the 3-in-1 cam lock holes on the foot rails are aligned.




Install the 3-in-1 cam lock rods on the indicated side of the bottom and top panels.







Insert the back panel into the bottom and top panels using the 3-in-1 cam lock holes.




Align the 3-in-1 cam lock holes on the left and right vertical panels, then insert them into the bottom panel. Tighten the 3-in-1 cam lock.








Use pozi screws to secure the back panel to the vertical panels from the rear.






Install the adjustable feet on the left and right side panels.








Install the 3-in-1 cam lock rods on the left and right side panels.






Attach the left and right side panels.

Tighten the 3-in-1 cam lock on the top panel and both back panels.




Tip the side table backward.

Tighten the 3-in-1 cam lock connecting the foot rails, bottom panel, and side panels.



Stand the side table upright. Install the plastic sleeves, snake pipe cover, and cable hole cover.
















Install the clamp under the top panel.




Install the cross beam on the adjustable column.






Install the controller.






Raise the adjustable column to its highest position, then secure the support arms to the cross beam.







Install the tabletop:





Place the control box.











Attach concealed hinges to the side door panels. Attach half-cover hinges to the middle door panel.



Refer to the diagram for hinge installation.







Acceptance precautions



Sunón

U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com


















Mall Series Adjustable Table DMA85-2 Assembly Instructions




Installation Notes




Handle with care and use protective padding when necessary.



Secure transportation requires assistance from two persons at least




3 For any inquiries, please contact Sunon.




Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at 949-337-8838

Exploded Diagram



Number	Name	Quantity
1	outer side panels	2
2	inner side panels	2
3	two-stage adjustable columns	2
4	support arms	2
5	cross beam	2
6	tabletop panel	1
7	modesty panel	1
8	outer metal base	2
9	inner metal base	2
10	metal strips	4

Parts listing




NOTE:

For DMA85-2.180055: 4 pieces of accessory A are required. For DMA85-2.180055: 3 pieces of accessory A are required.

Parts listing

P			Q			
cable organizer	50*26*7	3	cross countersunk self-tapping screws	ST3.5*14	3	







Install the lifting column.


Position the lifting column and crossbeam as shown in the diagram.

2


Based on the actual installation position of the hand controller (which should be installed on the edge of the tabletop using self-provided self-tapping screws) create a cable hole on the front crossbeam.

Create a power cable hole in the middle of the rear crossbeam.

When placing the control box, ensure you distinguish between the left and right sides. The HS port (the side that connects the control box to the hand controller) should face the side with the cable hole in the crossbeam.




Note: After installation, place the felt cover over it.
















Assemble the outer sheet metal and the panels.






Assemble the outer sheet metal with the outer side panels.




Install the assembled sheet metal and panels according to the positions shown in the diagram. Secure the sheet metal to the outer side panels using hex socket step screws, but do not fully tighten the screws.

Secure the panels to the tabletop using cam lock fittings.




Note that after installing the screws, there will be a slight gap remaining.








Assemble the outer sheet metal legs with the outer side panels.











Install the adjustable casters



Install the inner sheet metal and inner side panels.

10


nsert the assembled inner side panels and inner sheet metal into the outer sheet metal according to the




Secure the inner sheet metal to the lifting column.

11

Fasten the bottom of the inner sheet metal to the lifting column using 4 M6*12 hex socket screws.




Secure the inner and outer sheet metal.



Use 2 M6*15 hex socket screws to fix the inner and outer sheet metal on one side.




Install the cable snake.






Based on the cable routing and organization, attach the clips to the tabletop. Each clip can be secured









Acceptance precautions



U.S.Headquarter + Expericence Center 525 Technology Drive Suite 150Irvine CA,92618, USA us.sunonglobal.com 949-337-8838 isunon.com















Sunón

Mall II Series Manager Desk DMA86-2/DMA87-2 Assembly Instructions



This manual is applicable to the installation of DMA86-2/DMA87-2. Please read this manual carefully before use and keep it in a safe place.


Assembly precautions




Handle gently and put the contents on a padded area



Moving the product safely requires more than two people




Please contact us freely if you have any questions



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at +86-400-8600-666.


Exploded diagram




NO.	ITEM	Qty
1	desktop panel	1
2	middle desktop panel	1
3	cabinet top panel	1
4	left side panel	1
5	right side panel	1
6	back panel	1
7	bottom panel	1
8	adjustable shelf panel	1
9	divider panel	1
10	side cabinet	1

Parts List


			B			C			
cross head screw	M6*15	4	LDD bracket arm	120*90*8	4	hexagonal fla head screw	t M6*12	12	
D			E			F			
Three in one connector	ø 15*45	16	cross flat round nead self—tappin screw	ST5.5*20	87	single - bracket arm	30*40*30	1	
G			H. O						
confirmat screw	M7*38	6	staff desk cabinet legs	60*60*40	8	hexagonal countersunk screw	M6*16	2	
			K						
hexagonal countersunk screw	M6*12	2	hexagonal countersunk screw	M6*25	1	LD pull rod iron plate	90*48*30	2	
M			N						
iron plate	100*50*2.5	5 4	divider bracket	96*70*130	2	divider bracket - attachment	70*25*13	2	




























1. Assemble Steel Frame;












1.Install Divider Bracket;








96*70*130 (X4)




(X4) 70*25*13




M6*15 (X4) 1.Install Divider Panels;








1.Connect Side Cabinet to Side Desktop Panel;











Acceptance precautions





No.200 Citizen Street, Sunon Central Business Building, Qianjiang Road, Hangzhou, China. isunon.com








官网

公众号


Sunón

Mall II Series Manager Desk DMA88-2 **Assembly Instructions**




This manual is applicable to the installation of DMA88-2. Please read this manual carefully before use and keep it in a safe place.

Assembly precautions



Drawings indicate the components of the product, some of which are considered critical components. If the part shown here does not match your order, please contact us at +86-400-8600-666.

Exploded diagram




NO.	ITEM	Qty
1	desktop panel	1
2	divider panel	1
3	cabinet top panel	1
4	left side panel	1
5	right side panel	1
6	back panel	1
7	bottom panel	1
8	adjustable shelf panel	1
9	side cabinet	1

Parts List


A. Omnomina		B (6)			C			
cross head screw	M6*15	4	cross head screw	M8*35	2	hexagonal flat head screw	M6*12	12
D			E F					
Three in one connector	ø 15*45	16	cross flat round head self-tapping screw	ST5.5*20	53	single bracket ₃ arm	30*40*30	1
G	H							
confirmat screw	M7*38	6	staff desk cabinet legs	60*60*40	8	hexagonal countersunk screw	M6*16	2
7	0		K			<u> </u>	\$3	
hexagonal countersunk screw	, M6*12	2	hexagonal countersunk screw	M6*25	1	LD pull rod iron _ç plate	00*48*30	2
M 💨		N						
LDD bracket arm	120*90*8	4	divider brackets	96*70*130	2	divider bracket - attachment	70*25*13	2

1. Install Side Panels;






1. Install Bottom Panel;






1. Install Cabinet Legs;












1. Install Pull Rod;












1. Assemble Steel Frame;








1. Install Bracket Arms;




1. Install Steel Frame and Desktop;





1. Install Divider Bracket;

















M6*15 (X4)

1. Install Divider Panels:






1. Connect Main Desk to Side Cabinet;









Acceptance precautions



Sunón

No.200 Citizen Street, Sunon Central Business Building, Qianjiang Road, Hangzhou, China. isunon.com












DMA 90 Series Single Cabinet Assembly Manual




The instructions within apply only to the DMA90 Series. Please-read and understand before assembly




The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global





	Name	<u>Qty</u>
1	Bottom Panel	1
2	Side Panel, left	1
3	Side Panel, right	1
4	Top Panel	1
5	Back Panel	1
6	Shelf	1
7	Shelf	1
8	Door	1




= *































DMA 91 Series Single Cabinet Assembly Manual




The instructions within apply only to the DMA91 Series. Please_read and understand before assembly





The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global




	Name	Qty		Name	Qty
1	Side Panel, Right	1	7	Top Shelf	1
2	Front Panel	1	8	Bottom Shelf	1
3	Rear Panel 1 Rear	1	9	Middle Shelf	2
4	Panel 2 Side	1	10	Top Panel	1
5	Side Panel, Left, 1	1	11	Bottom Panel	1
6	Side Panel, Left, 2	1	12	Door	1



















































DMA 92 Series Single Cabinet Assembly Manual





The instructions within apply only to the DMA92 Series. Please read and understand before assembly








	Name	Qty
1	Top Panel	1
2	Side Panel	2
3	Rear Panel	3
4	Door	2
5	Shelf	2
6	Bottom Panel	1






























DMA 93 Series Single Cabinet Assembly Manual





The instructions within apply only to the DMA93 Series. Please read and understand before assembly








	Name	Qty
1	Top Panel	1
2	Side Panel	2
3	Rear Panel	4
4	Door	2
5	Shelf	2
6	Bottom Panel	1





















M6.4*7 (x12)







B ST5.5*20 F 60*60*40 (x12) (x4)












Sunon

DMA 94 Series Freestanding Open Storage — Assembly Manual







The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global




	Name	Qty
1	Side Panel, left Side	1
2	Panel, right	1
3	Top Panel	1
4	Upper Back Panel	1
5	Middle Back Panel	1
6	Lower Back Panel	1
7	Bottom Panel	1
8	Shelf	2


































DMA 95 Series Freestanding Open Storage Assembly Manual




The instructions within apply only to the DMA94 Series. Please read and understand before assembly




The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global




	Name	Qty
1	Side Panel, left Side	1
2	Panel, right	1
3	Top Panel	1
4	Upper Back Panel	1
5	Middle Back Panel	2
6	Lower Back Panel	1
7	Bottom Panel	1
8	Shelf	3

































DMA 96 Series Freestanding Open Storage Assembly Manual



The instructions within apply only to the DMA96 Series. Please read and understand before assembly



The diagrams below indicate all components included with this product. If you are missing any of these, please contact Sunon Global



	Name	Qty
1	Side Panel, left Side	1
2	Panel, right	1
3	Center Shelf	1
4	Back Panel	1
5	Top Panel	1
6	Lower Panel	1
7	Shelf	3

A			B			С		
Foot	60*60*40	4	Cam-lock	Ф 15х45	20	Double-headed Cam-lock Pin	Ф 6*64	3
			E			F		
Wood Screw	M7*38	8	Wood Screw	T5.5*20	12	Shelf Mou <u>nt</u>	M6.4*7	12

