



Chair Specification | Calm CKM80SC/CKM80SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
660mm	660mm	1215mm	530mm	465mm	490mm	465-540mm	/	430mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
750mm	/	/	540mm	680mm	215mm	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM80SC/CKM80SR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.98in	25.98in	47.83in	20.87in	18.31in	19.29in	18.31-21.26in	/	16.93in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
29.52in	/	/	21.26in	26.77in	8.46in	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM80SC/CKM80SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
660mm	660mm	1215mm	530mm	465mm	490mm	465-540mm	/	430mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
750mm	/	/	540mm	680mm	215mm	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM80SC/CKM80SR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.98in	25.98in	47.83in	20.87in	18.31in	19.29in	18.31-21.26in	/	16.93in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
29.52in	/	/	21.26in	26.77in	8.46in	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM80SC/CKM80SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
660mm	660mm	1215mm	530mm	465mm	490mm	465-540mm	/	430mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
750mm	/	/	540mm	680mm	215mm	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM80SC/CKM80SR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.98in	25.98in	47.83in	20.87in	18.31in	19.29in	18.31-21.26in	/	16.93in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
29.52in	/	/	21.26in	26.77in	8.46in	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM81SC/CKM81SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
655mm	675mm	1215mm	530mm	465mm	490mm	465-540mm	/	430mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
750mm	/	/	525mm	670mm	220mm	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM81SC/CKM81SR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.79in	26.57in	47.83in	20.87in	18.31in	19.29in	18.31-21.26in	/	16.93in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
29.52in	/	/	20.67in	26.38in	8.66in	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM81SC/CKM81SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
655mm	675mm	1215mm	530mm	465mm	490mm	465-540mm	/	430mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
750mm	/	/	525mm	670mm	220mm	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM81SC/CKM81SR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.79in	26.57in	47.83in	20.87in	18.31in	19.29in	18.31-21.26in	/	16.93in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
29.52in	/	/	20.67in	26.38in	8.66in	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM81SC/CKM81SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
655mm	675mm	1215mm	530mm	465mm	490mm	465-540mm	/	430mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
750mm	/	/	525mm	670mm	220mm	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM81SC/CKM81SR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.79in	26.57in	47.83in	20.87in	18.31in	19.29in	18.31-21.26in	/	16.93in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
29.52in	/	/	20.67in	26.38in	8.66in	3°	104°-129°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM60SC/CKM60SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
655mm	670mm	1015mm	530mm	465mm	490mm	465-540mm	/	435mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
550mm	/	/	525mm	680mm	215mm	3°	107°-132°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM60SC/CKM60SR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.79in	26.38in	39.96in	20.87in	18.31in	19.29in	18.31-21.26in	/	17.12in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
21.65in	/	/	20.67in	26.77in	8.46in	3°	107°-132°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM60SC/CKM60SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
655mm	670mm	1015mm	530mm	465mm	490mm	465-540mm	/	435mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
550mm	/	/	525mm	680mm	215mm	3°	107°-132°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM60SC/CKM60SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
25.79in	26.38in	39.96in	20.87in	18.31in	19.29in	18.31-21.26in	/	17.12in/19.88in

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
21.65in	/	/	20.67in	26.77in	8.46in	3°	107°-132°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM60SC/CKM60SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
655mm	670mm	1015mm	530mm	465mm	490mm	465-540mm	/	435mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
550mm	/	/	525mm	680mm	215mm	3°	107°-132°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM60SC/CKM60SR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
25.79in	26.38in	39.96in	20.87in	18.31in	19.29in	18.31-21.26in	/	17.12in/19.88in

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
21.65in	/	/	20.67in	26.77in	8.46in	3°	107°-132°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM70GC/CKM70GR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
645mm	670mm	1000mm	530mm	480mm	490mm	445mm	/	435mm/505mm

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
555mm	/	/	535mm	675mm	240mm	3°	107°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM70GC/CKM70GR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.39mm	26.38mm	39.37in	20.87in	18.90in	19.29in	17.52in	/	17.12in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
21.85mm	/	/	21.06in	26.57in	9.45in	3°	107°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM70GC/CKM70GR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
645mm	670mm	1000mm	530mm	480mm	490mm	445mm	/	435mm/505mm

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
555mm	/	/	535mm	675mm	240mm	3°	107°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM70GC/CKM70GR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.39mm	26.38mm	39.37in	20.87in	18.90in	19.29in	17.52in	/	17.12in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
21.85mm	/	/	21.06in	26.57in	9.45in	3°	107°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM70GC/CKM70GR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
645mm	670mm	1000mm	530mm	480mm	490mm	445mm	/	435mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
555mm	/	/	535mm	675mm	240mm	3°	107°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM70GC/CKM70GR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
25.39mm	26.38mm	39.37in	20.87in	18.90in	19.29in	17.52in	/	17.12in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
21.85mm	/	/	21.06in	26.57in	9.45in	3°	107°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM71GC/CKM71GR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
620mm	650mm	870mm	495mm	460mm	515mm	465mm	/	495mm/505mm

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
405mm	/	/	510mm	630mm	200mm	5°	107°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM71GC/CKM71GR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
24.41in	25.59in	34.25in	19.49in	18.11in	20.28in	18.31in	/	19.49in/19.88in
Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle	
15.94in	/	/	20.08in	24.80in	7.87in	5°	107°	





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM71GC/CKM71GR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
620mm	650mm	870mm	495mm	460mm	515mm	465mm	/	495mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
405mm	/	/	510mm	630mm	200mm	5°	107°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM71GC/CKM71GR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
24.41in	25.59in	34.25in	19.49in	18.11in	20.28in	18.31in	/	19.49in/19.88in
Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle	
15.94in	/	/	20.08in	24.80in	7.87in	5°	107°	





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM71GC/CKM71GR

• Overall Depth	• Overall Width	• Overall Height	• Seat Depth	• Functional • Seat Depth	• Seat Width	• Seat Height • from Floor	• Ring Height • from Floor	• Back Width • (Max and Min)
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
620mm	650mm	870mm	495mm	460mm	515mm	465mm	/	495mm/505mm

• Back Height • from Seat	• Back Lumbar • Height	• Lumbar • Adjustment • Range	• Width • Between Arms	• Arm to Floor	• Arm Height • from Seat	• Seat Pan • Angle	• Back Recline Angle
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
405mm	/	/	510mm	630mm	200mm	5°	107°





Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.



Chair Specification | Calm CKM71GC/CKM71GR

Overall Depth	Overall Width	Overall Height	Seat Depth	Functional Seat Depth	Seat Width	Seat Height from Floor	Ring Height from Floor	Back Width (Max and Min)
24.41in	25.59in	34.25in	19.49in	18.11in	20.28in	18.31in	/	19.49in/19.88in

Back Height from Seat	Back Lumbar Height	Lumbar Adjustment Range	Width Between Arms	Arm to Floor	Arm Height from Seat	Seat Pan Angle	Back Recline Angle
15.94in	/	/	20.08in	24.80in	7.87in	5°	107°



Remark: Seat height from floor, back height from seat and arm height from seat are measured when there is no load on the chair.

